



## OUTDOOR WOOD FURNACE BEST BURN PRACTICES

- 1. Read and follow all operating instructions supplied by the manufacturer.
- 2. FUEL USED: Only those listed fuels recommended by the manufacturer of your unit. Never use the following: trash, plastics, gasoline, rubber, naphtha, household garbage, material treated with petroleum products (particle board, railroad ties and pressure treated wood), leaves, paper products, and cardboard.
- 3. LOADING FUEL: For a more efficient burn, pay careful attention to loading times and amounts. Follow the manufacturer's written instructions for recommended loading times and amounts.
- 4. STARTERS: Do not use lighter fluids, gasoline, or chemicals.
- 5. LOCATION: It is recommended that the unit be located with due consideration to the prevailing wind direction.
  - Furnace should be located no less than 100 feet from any residence not served by the furnace.
  - If located within 100 feet to 300 feet to any residence not served by the furnace, it is recommended that the stack be at least 2 feet higher than the peak of that residence.



6. Always remember to comply with all applicable state and local codes.





## Manufactured By:



105 Industrial Park Ct. NE, P.O. Box 787 Warroad, MN 56763

## **MY DEALER IS:**

COPYRIGHT - HEATMOR<sup>™</sup> INC. Revised 8/11 MADE IN USA